Luxury Vinyl Plank _{Versa}

PRODUCT SPECIFICATIONS

PLANK SIZE: 7.4" x 48" Inches

CORE: SPC

TOTAL THICKNESS: 2.5mm

WEAR LAYER: 12mil (Also Avail in 22mil)

PACKAGING: 20 PCS/BOX, 49.33 SQFT/BOX, 45 BOXES/PALLET, 2220 SQFT/PALLET 20 PALLETS/ TRUCKLOAD 44,400 SQFT

WEIGHTS: 50.8 Lbs Per Carton / 2286 Lbs Per

Pallet

INSTALLATION: Glue Down


(Recommended Glue Mapei Ultra Bond Eco 399)

WARRANTY: RESIDENTIAL: 25 Year Limited

LIGHT COMMERCIAL: 10 Year Limited



Structure



ADVANTAGES OVER TRADITIONAL LVP:

- MORE RIGID PRODUCT = STRONGER LONGER LASTING PERFORMANCE
- IMPACT RESISTANT TO INDENTATION
- 250% MORE DIMENSIONALLY STABLE COMPARED TO LVP
- NO TELEGRAPHING ISSUES
- FEATURES ENDURANCE TECH SPC CORE PROVIDING 2000KG/M3 DENSITY.
- ULTIMATE SHIELD SURFACE COATING PROVIDING INDUSTRY LEADING SCRATCH, STAIN AND WEAR RESISTANCE.
- MADE WITH 70% NATURAL STONE CONTENT / 30% COMBINATION OF VIRGIN PVC, MINERALS & STABILIZERS.
- FASTER INSTALLATION NO ACCLIMATION REQUIRED
- NO PLASTICIEZERS = COMPLETELY SAFE & HEALTHY PRODUCT
- AVOID PLASTICIEZER MIGRATION (COMMON ISSUE WITH LVP WHICH MAKES THE GLUE WEAK OVER TIME)

MUCH HIGHER DIMENSIONAL STABILITY

RIGID CORE SPC HAS MUCH LESS EXPANSION & CONTRACTION COMPARED TO LVT - MAKING THE PRODUCT EXTREMLY DIMENSIONALLY STABLE

FASTER INSTALLATION

BEING A MORE DIMENSIONALLY STABLE PRODUCT COMPARED TO LVT, ACCLIMATION IS NOT REQUIRED IN MOST INSTANCES ALLOWING FOR QUICK INSTALLATION.


IMPACT RESISTANT TO INDENTATION

SPC CORE DOES NOT CONTAIN ANY PLASTICIEZERS WHICH MAKES IT SUPER DURABLE AGAINST IMPACT INDENTATION. SPC PROVIDES WORRY FREE USE & LASTING PERFORMANCE

AVOIDS TELEGRAPHING

DUE TO ITS RIGIDITY, SPC PROVIDES A <u>MORE FLAT</u> SURFACE AND DOES NOT TELEGRAPH SUBFLOOR IMPEFECTIONS TO THE FLOOR SURFACE

Color Line Quick Ship Color Line



Color Line Custom Color Line











